



### Key Features

- 250W of Power from a DC Earth Magnet Motor
- Lithium-ion Removable Battery Pack for Reduced Weight, Ease of Use and Longer Life Span
- Real Transportation at Speeds up to 15 mph/24 km (Rider Weight, Rider Input and Terrain Contingent)
- Up to 15 - 22 Miles / 24 - 35 km Per Charge (Rider Weight, Rider Input and Terrain Contingent). Easily Add an Optional Second Battery Pack to Double the Range



**CURRIE TECHNOLOGIES®**  
9453 Owensmouth Ave., Chatsworth, CA 91311  
Phone: + 1 800 377 4532 Fax: + 1 818 734 8199

#### **MOTOR**

250W of Power from a DC Earth Magnet Motor

#### **BATTERY**

Lithium-ion, Rack Top Mounted, 24V / 10AH Pack, (7) 3.7V Rechargeable Cells, Advanced BMS

#### **CHARGE SYSTEM**

UL Listed Lithium-ion Smart Charger with LED Status Display

#### **CONTROLLER**

Exclusive Currie Electro-Drive™ 24 Volt Fully Potted with Power Gauge Function

#### **TOP SPEED**

15 mph / 24 km (Rider Weight, Rider Input and Terrain Contingent)

#### **RANGE**

Up to 15 - 22 Miles / 24 - 35 km with Normal Pedaling (Rider Weight, Rider Input and Terrain Contingent)

#### **DRIVE**

Patented Currie Electro-Drive™ System, Shimano Rear Derailleur, SRAM Grip Shift, Shimano 7 Speed Freewheel

#### **BRAKES**

Alloy Linear Pull Brakes with Alloy Brake Inhibit Levers

#### **WHEELS**

Alloy 26" x 1.75" Rims

#### **TIRES**

Currie Comfort Tires 26" x 2.0"

#### **HANDLEBAR / STEM**

Mid-Rise Bar and Alloy Adjustable Angle Stem

#### **FORK**

Suspension with Fender Eyelets

#### **USER CONTROLS**

Power On/Off Switch, Easy Access Charger Port in Removable Battery Pack, Twist Throttle with PAS Function & Battery Gauge

#### **SADDLE**

Comfort Design, Q/R Alloy Suspension Post

#### **FRAME**

Exclusive Currie Aluminum, Bottle Bosses, Fender and Rack Mounts

#### **CRANKS AND PEDALS**

Alloy 44T Crankset, Double Chainguard, Resin Dual-Sided Pedals

#### **NET WEIGHT**

54 lbs / 24 kg

#### **RIDER AGE & WEIGHT LIMIT**

Young Adult to Adult / Do Not Exceed 240 lbs / 109 kg

#### **SIZES**

Mens